Plant Molecular Biology **31**: 1247–1256, 1996.

Contents of Volume 31

Vol. 31 No. 1 April 1996

Research articles

Expression of the *Volvox* gene encoding nitrate reductase: Mutation-dependent activation of cryptic splice sites and intron-enhanced gene expression from a cDNA 1–12
H. Gruber, S.H. Kirzinger, R. Schmitt

Temperature-dependent increase in the DNA-binding activity of a heat shock factor in an extract of tobacco cultured cells 13–22
S. Shimizu, Y. Itoh, K.-i. Yamazaki

Isolation of a full-length cDNA encoding calreticulin from a PCR library of *in vitro* zygotes of maize 23–34
T. Dresselhaus, C. Hagel, H. Lörz, E. Kranz

A vicillin-like seed protein of cycads: similarity to sucrose-binding proteins 35–44
H. Braun, A. Czihal, A.D. Shutov, H. Bäumlein

Regulation of cytosolic pyruvate, orthophosphate dikinase expression in developing maize endosperm 45–55
P. Gallusci, S. Varotto, M. Matsuoko, M. Maddaloni, R.D. Thompson

Isolation of a novel RNA-binding protein and its association with a large ribonucleoprotein particle present in the nucleoplasm of tobacco cells 57–68
S. Hanano, M. Sugita, M. Sugiura

Cloning of a cDNA encoding a 3-dehydroquinate synthase from a higher plant, and analysis of the organ-specific and elicitor-induced expression of the corresponding gene 69–76
M. Bischoff, J. Rösler, H.-R. Reasecke, J. Görlach, N. Amrhein, J. Schmid

Elongation factor 1α genes of the red alga *Porphyra purpurea* include a novel, developmentally specialized variant 77–85
Q.Y. Liu, S.L. Baldau, M.E. Reith

A novel kinesin-like protein with a calmodulin-binding domain 87–100
W. Wang, D. Takazawa, S.B. Narasimhulu, A.S.N. Reddy, B.W. Poovaiah

Evidence for the expression of the triosephosphate translocator gene in green and non-green tissues of tomato and potato 101–111
D. Schünemann, K. Schott, S. Borchert, H.W. Heldt

Molecular analysis of the gene family of the signal recognition particle (SRP) RNA of tomato 113–125
L. Riedel, U. Volger, R. Luckinger, A. Pütz. H.L. Sänger, M. Wassenegger

Expression of DC8 is associated with, but not dependent on embryogenesis 127–141
J.-C. Cheng, K.A. Seeley, P. Goupil, Z.R. Sung

Short communications

Molecular characterization of the mitochondrial citrate synthase gene of an acidless pummelo (*Citrus maxima*) 143–147
C. Canel, J.N. Bailey-Serres, M.L. Rose

The pea early nodulin gene *PsENOD7* maps in the region of linkage group I containing *sym2* and leghaemoglobin 149–156
A. Kozik, M. Matvienko, B. Scheres, V.G. Paruvangada, T. Bisseling, A. van Kammen, T.H. Noel Ellis, T. LaRue, N. Weeden

Heat shock elements are involved in heat shock promoter activation during tobacco seed maturation 157–162
R. Prändl, F. Schöffl

Common occurrence of homologues of petunia glycine-rich protein-1 among plants 163–168
S.-H. Cheng, B. Keller, C.M. Condit

Insertion of pea lectin into a phospholipid monolayer 169–173
P. Booij, R.A. Demel, B. Sylvia de Pater, J.W. Kijne

Molecular characterization of an adenylate cyclase gene of the cyanobacterium *Spirulina platensis* 175–181
K. Yashiro, T. Sakamoto, M. Ohmori

On the role of the N-terminus of the extrinsic 33 kDa protein of Photosystem II 183–188
A. Seidler, A.W. Rutherford, H. Michel

PCR and sequencing from a single pollen grain 189–192
G. Petersen, B. Johansen, O. Seberg

Physical and gene maps of the unicellular cyanobacterium *Synechococcus* sp. strain PCC6301 genome 193–201
T. Kaneko, T. Matsubayashi, M. Sugita, M. Sugiura

Erratum

Sequence and expression characteristics of three G-box binding factor cDNAs from *Brassica napus* 203
S. Waldmüller, G. Link

Volume 31 No. 2 May 1996

Research Articles

Cloning of *Brassica napus* CTP: phosphocholine cytidylyltransferase cDNAs by complementation in a yeast *cct* mutant 205–211
I. Nishida, R. Swinhoe, A.R. Slabas, N. Murata

Isolation and characterization of a microspore-specific gene from tobacco 213–225
M.T. Oldenhof, P.F.M. de Groot, J.H. Visser, J.A.M. Schrauwen, G.J. Wullems

Molecular characterisation of an *S*-like RNase of *Nocotiana alata* that is induced by phosphate starvation 227–238
P.N. Dodds, A.E. Clarke, E. Newbigin

A major cysteine proteinase, EPB, in germinating barley seeds: structure of two intronless genes and regulation of expression 239–254
A. Mikkonen, I. Porali, M. Cercos, T.D. Ho

Characterization of *hsr*201 and *hsr*515, two tobacco genes preferentially expressed during the hypersensitive reaction provoked by phytopathogenic bacteria 255–265
P. Czernic, H.C. Huang, Y. Marco

Characterization of a strawberry gene for auxin-binding protein, and its expression in insect cells 267–277
C.M. Lazarus, H. Macdonald

Small G proteins of two green algae are localized to exocytic compartments and to flagella 279–293
H. Huber, K. Beyser, S. Fabry

The *BARE*-1 retrotransposon is transcribed in barley from an LTR promoter active in transient assays 295–306
A. Suoniemi, A. Narvanto, A.H. Schulman

The maize caffeic acid *O*-methyltransferase gene promoter is active in transgenic tobacco and maize plant tissues 307–322
M. Capellades, M.A. Torres, I. Bastisch, V. Stiefel, F. Vignols, W.B. Bruce, D. Peterson, P. Puigdomènech, J. Rigau

Cloning, molecular and functional characterization of *Arabidopsis thaliana* allene oxide synthase (CYP 74), the first enzyme of the octadecanoid pathway to jasmonates 323–335
D. Laudert, U. Pfannschmidt, F. Lottspeich, H. Holländer-Czytko, E.W. Weiler

Function of 3' non-coding sequences and stop codon usage in expression of the chloroplast *psaB* gene in *Chlamydomonas reinhardtii* 337–354
H. Lee, S.E. Bingham, A.N. Webber

The *Pisum sativum* MAP kinase homologue (PsMAPK) rescues the *Saccharomyces cerevisiae hog1* deletion mutant under conditions of high osmotic stress 355–363
B. Pöpping, T. Gibbons, M.D. Watson

Short communications

A reverse transcriptase activity in potato mitochondria 365–372
A. Moenne, D. Bégu, X. Jordana

Isolation of an *Arabidopsis* homologue of the maize homeobox *Knotted-1* gene 373–378
C.L. Granger, J.D. Callos, J.I. Medford

A novel MADS-box gene of potato (*Solanum tuberosum* L.) expressed during the early stages of tuberization 379–386
S.-G. Kang, D.J. Hannapel

Transcripts of the two NADPH protochlorophyllide oxidereductase genes *PorA* and *PorB* are differentially degraded in etiolated barley seedlings 387–392
H. Holtorf, K. Apel

Tissue-specific expression of the *PAL3* promoter requires the interaction of two conserved *cis* sequences 393–397
D. Hatton, C. Smith, M. Bevan

A point mutation in the gene encoding the Rubisco large subunit interferes with holoenzyme assembly 399–403
T. Shikanai, C.h. Foyer, H. Dulieu, M.A.J. Parry, A. Yokota

Characterization of eight new members of the calmodulin-like domain protein kinase gene family from *Arabidopsis thaliana* 405–412
E.M. Hrabak, L.J. Dickmann, J.S. Satterlee, M.R. Sussman

Two new oleosin isoforms with altered expression patterns in seeds of the *Arabidopsis* mutant *fus3* 413–417
V. Kirik, K. Kölle, H.-J. Balzer, H. Bäumlein

Characterization of DNA sequences encoding a novel isoform of the 55 kDa B regulatory subunit of the type 2A protein serine/threonine phosphatase of *Arabidopsis thaliana* 419–427
J.W. Corum III, A.J. Hartung, R.T. Stamey, S.J. Rundle

Cloning of a cDNA encoding the 21.2 kDa oleosin isoform from *Arabidopsis thaliana* and a study of its expression in a mutant defective in diacylglycerol acyltransferase activity 429–433
J. Zou. S.J. Brokx, D.C. Taylor

Isolation and sequence analysis of a cDNA encoding the c subunit of a vacuolar-type H^+-ATPase from the CAM plant *Kalanchoë daigremontiana* 435–442
D.M. Bartholomew, D.J.G. Rees, A. Rambaut, J.A.C. Smith

Isolation of cDNA clones of genes induced upon transfer of *Chlamydomonas reinhardtii* cells to low CO_2 443–448
M.D. Burow, Z.-Y. Chen, T.M. Mouton, J.V. Moroney

Erratum

The cyanobacterial genome contains a single copy of the *ffh* gene encoding a homologue of the 54 kDa subunit of signal recognition particle 449–457
J.C.L. Packer, C.J. Howe

Volume 31 No. 3 June 1996

Mini-review

In and out of the plant cell cycle 459–464
H. Hirt

Regular articles

A wound-inducible gene from *Salix viminalis* coding for a trypsin inhibitor 465–478
P. Saarikoski, D. Clapham, S. von Arnold

Analysis of *cis*-regulatory elements involved in the activation of a member of chalcone synthase gene family (*PsChs1*) in pea 479–491
H. Seki, Y. Ichinose, H. Kato, T. Shiraishi, T. Yamada

Members of two gene families encoding ubiquitin-conjugating enzymes, AtUBC1–3 and AtUBC4–6, from *Arabidopsis thaliana* are differentially expressed 493–505
S. Thoma, M.L. Sullivan, R.D. Vierstra

Differential stability of zein mRNA in developing corn kernel 507–515
V.K. Plotnikov, N.B. Bakaldina

Isolation and characterization of a pod dehiscence zone specific polygalacturonase from *Brassica napus* 517–527
M. Petersen, L. Sander, R. Child, H. van Onckelen, P. Ulvskov, B. Borkhardt

Identification of three cDNA clones expressed in the leaf extension zone and with altered patterns of expression in the *slender* mutant of barley: a tonoplast intrinsic protein, a putative structural protein and protochlorophyllide oxidoreductase 529–537
P.H.D. Schünmann, H.J. Ougham

New antifungal proteins from sugar beet (*Beta vulgaris* L.) showing homology to non-specific lipid transfer proteins 539–552
K.K. Nielsen, J.E. Nielsen, S.M. Madrid, J.D. Mikkelsen

Primary structure and expression of plant homologues of animal and fungal thioredoxin-dependent peroxide reductases and bacterial alkyl hydroperoxide reductases 553–564
M. Baier, K.-J. Dietz

Phytohormone control of the tobacco anionic peroxidase promoter 565–573
K.L. Klotz, L.M. Lagrimini

Differential display-mediated rapid identification of different members of a multigene family, HSP16.9 in wheat 575–584
C.P. Joshi, H.T. Nguyen

***Thi1*, a thiamine biosynthetic gene in *Arabidopsis thaliana*, complements bacterial defects in DNA repair** 585–593
C.R. Machado, R.L. Costa de Oliveira, S. Boiteux, U.M. Praekelt, P.A. Meacock, C.F.M. Menck

The gene promoter for a bean abscission cellulase is ethylene-induced in transgenic tomato and shows high sequence conservation with a soybean abcission cellulase 595–606
S.M. Koehler, G.L. Matters, P. Nath, E.C. Kemmerer, M.L. Tucker

Novel members of a family of AT hook-containing DNA-binding proteins from rice are identified through their *in vitro* interaction with consensus target sites of plant and animal homeodomain proteins 607–618
A.H. Meijer, E.L. van Dijk, J.H.C. Hoge

AtJ1, a mitochondrial homologue of the *Escherichia coli* DnaJ protein 619–629
B. Kroczynska, R. Zhou, C. Wood, J.A. Miernyk

Characterization of chitinases able to rescue somatic embryos of the temperature-sensitive carrot variant *ts11* 631–645
K.M. Kragh, T. Hendriks, A.J. de Jong, F. Lo Schiavo, N. Bucherna, P. Højrup, J.D. Mikkelsen, S.C. de Vries

A promiscuous chloroplast DNA fragment is transcribed in plant mitochondria but the encoded RNA is not edited 647–656
P. Zeltz, K. Kadowaki, N. Kubo, R.M. Maier, A. Hirai, H. Kössel†

Molecular cloning of the lectin and a lectin-related protein from common Solomon's seal (*Polygonatum multiflorum*) 657–672
E.J.M. van Damme, A. Barre, P. Rougé, F. van Leuven, J. Balzarini, W.J. Peumans

Short communications

Effects of light and temperature on expression of ClpC, the regulatory subunit of chloroplastic Clp protease, in pea seedlings 673–676
O. Ostersetzer, Z. Adam

Deviating T-DNA transfer from *Agrobacterium tumefaciens* to plants 677–681
E. van der Graaff, A. den Dulk-Ras, P.J.J. Hooykaas

A potato cDNA encoding a homologue of mammalian multidrug resistant P-glycoprotein 683–687
W. Wang, D. Takezawa, B.W. Poovaiah

Intron position affects expression from the *tpi* promoter in rice 689–692
K.C. Snowden, W.G. Buchholz, T.C. Hall

Cloning of a cDNA for a chitinase homologue which lacks chitin-binding sites and is down-regulated by water stress and wounding 693–699
S. Chang, J. Puryear, E.A. Funkhouser, R.J. Newton, J. Cairney

Characterization and expression of Metallothionein-like genes in cotton 701–705
R.L. Hudspeth, S.L. Hobbs, D.M. Anderson, K. Rajasekaran, J.W. Grula

Isolation and characterization of a cDNA encoding a plant defensin-like protein from roots of Norway spruce 707–712
P. Sharma, A. Lönneborg

Volume 31 No. 4 July 1996

Stringently and developmentally regulated levels of a cytoplasmic double-stranded RNA and its high-efficiency transmission via egg and pollen in rice 713–719
H. Moriyama, K. Kanaya, J.Z. Wang, T. Nitta, T. Fukuhara

The cyanobacterium *Synechococcus* PCC 7942 possesses a close homologue to the chloroplast ClpC protein of higher plants 721–730
A.K. Clarke, M.-J. Eriksson

GBSS T-DNA inserts giving partial complementation of the *amylose-free* potato mutant can also cause co-suppression of the endogenous GBSS gene in a wild-type background 731–739
E. Flipse, I. Straatman-Engelen, A.G.J. Kuipers, E. Jacobsen, R.G.F. Visser

Defence-related gene activation during an incompatibie interaction between *Stagonospora (Septoria) nodorum* and barley (*Hordeum vulgare* L.) coleoptile cells 741–749
C. Stevens, E. Titarenko, J.A. Hargreaves, S.J. Gurr

Cloning of DNA-binding protein that interacts with the ethylene-responsive enhancer element of the carnation *GST1* gene 751–759
J.M. Maxson, W.R. Woodson

Characterization of pyruvate decarboxylase genes from rice 761–770
M.A. Hossein, E. Huq, A. Grover, E.S. Dennis, W.J. Peacock, T.K. Hodges

Transcripts of a gene encoding a putative cell wall-plasma membrane linker protein are specifically cold-induced in *Brassica napus* 771–781
W. Goodwin, J.A. Pallas, G.I. Jenkins

Isolation of an additional soybean cDNA encodingd *Ypt/Rab*-related small GTP-binding protein and its functional comparison to *Sypt* using a yeast ***ypt1-1*** **mutant** 783–792
W.Y. Kim, N.E. Cheong, D.C. Lee, K.O. Lee, D.Y. Je, J.D. Bahk, M.J. Cho, S.Y. Lee

Developmental regulation of the p*sbS* gene expression in spinach seedlings: the role of phytochrome 793–802
I. Adamska, C. Funk, G. Renger, B. Andersson

Localization of tobacco cytosolic glutamine synthetase enzymes and the corresponding transcripts shows organ- and cell-specific patterns of protein synthesis and gene expression 803–817
F. Dubois, N. Brugière, R.S. Sangwan, B. Hirel

Identification and expression of water stress- and abscisic acid-regulated genes in a drought-tolerant sunflower genotype 819–829
O. Ouvrard, F. Cellier, K. Ferrare, D. Tousch, T. Lamaze, J.-M. Dupuis, F. Casse-Delbart

Light-dependent developmental control of *rbcS* gene expression in epidermal cells of maize leaves 831–841
R. Bilang, L. Bogorad

cDNA cloning and expression of a gene for 3-ketoacyl-CoA thiolase in pumpkin cotyledons 843–852
A. Kato, M. Hayashi, Y. Takeuchi, M. Nishimura

A ribosomal protein L2 gene is transcribed, spliced, and edited at one site in rice mitochondria 853–862
N. Kubo, K. Ozawa, T. Hino, K.-i. Kadowaki

Differential regulation of small heat-shock genes in plants: analysis of a water-stress-inducible and developmentally activated sunflower promoter 863–876
M.A. Coca, C. Almoguerra, T.L. Thomas, J. Jordano

Isolation of molecular markers from the barley endosperm coenocyte and the surrounding nucellus cell layers 877–886
D.N.P. Doan, C. Linnestad, O.-A. Olsen

Expression of two heterologous promoters, *Agrobacterium rhizogenes rolC* and cauliflower mosaic virus *35S*, in the stem of transgenic hybrid aspen plants during the annual cycle of growthe and dormancy 887–895
O. Nilson, C.H.A. Little, G. Sandberg, O. Olsson

Short communications

The alcohol dehydrogenase genes of cotton 897–904
A.A. Millar, E.S. Dennis

Eucalypt α-tubulin: cDNA cloning and increased level of transcripts in ectomycorrhizal root system 905–910
E.C. Diaz, F. Martin, D. Tagu

Characterization and expression of chitinase and 1,3-β-glucanase genes in cotton 911–916
R.L. Hudspeth, S.L. Hobbs, D.M. Anderson, J.W. Grula

Isolation of a cDNA from tomato coding for an unregulated, cytosolic chorismate mutase 917–922
J. Eberhard, M. Bischoff, H.-R. Raesecke, N. Amrhein, J. Schmid

Cloning and characterization of a cDNA encoding a Rab1-like small GTP-binding protein from *Petunia hybrida* 923–926
C. Jako, B. Teyssendier de la Serve

Non-symmetrical cytosine methylation in tobacco pollen DNA 927–930
E.J. Oakeley, J.-P. Jost

Differential expression of the *Sebania rostrata* leghemoglobin *glb*3 gene promoter in transgenic legume and non-legume plants 931–935
K. Szcyglowski, T. Potter, J. Stoltzfus, S.Y. Fujimoto, F.J. de Bruijn

The *rpl5-rps14-cob* gene arrangement in *Solanum tuberosum*: *rps14* is a transcribed and unedited pseudogene 937–943
V. Quiñones, S. Zanlungo, A. Moenne, I. Gómez, L. Holuigue, S. Litvak, X. Jordana

Volume 31 No. 5 August 1996

Mini-review

The structure and biogenesis of plant oil bodies: the role of the ER membrane and the oleosin class of proteins 945–956
J.A. Napier, A.K. Stobart, P.R. Shewry

Chalcone synthase cosuppression phenotypes in petunia flowers: comparison of sense vs. antisense constructs and single-copy vs. complex T-DNA sequences 957–973
R.A. Jorgenson, P.D. Cluster, J. English, Q. Que, C.A. Napoli

Phytohormone-regulated β-amylase gene expression in rice 975–982
S-M. Wang, W-L. Lue, K. Eimert, J. Chen

Characterization of *Vitis vinifera* L. glutamine synthetase and molecular cloning of cDNAs for the cytosolic enzyme 983–992
K.A. Loulakakis, K.A. Roubelakis-Angelakis

Antimicrobial peptides from *Mirabilis jalapa* and *Amaranthus caudatus*: expression, processing, localization and biological activity in transgenic tobacco 933–1008
M.F.C. De Bolle, R.W. Osborn, I.J. Goderis, L. Noe, D. Acland, C.A. Hart, S. Torrekens, F. Van Leuven, W.F. Broekaert

Isolation of two differentially expressed wheat ACC synthase cDNAs and the characterization of one of their genes with root-predominant expression 1009–1020
K. Subraminiam, S. Abbo, P.P. Ueng

Identification and isoprenylation of plant GTP-binding proteins 1021–1028
B. Biermann, S.K. Randall, D.N. Crowell

Isolation and characterization of cDNAs encoding vacuolar H^+-pyrophosphatase isoforms from rice (*Oryza sativa* L.) 1029–1038
Y. Sakakibara, H. Kobayashi, K. Kasamoto

Pectinmethylesterase isoforms from *Vigna radiata* hypocotyl cell walls: kinetic properties and molecular cloning of cDNA encoding the most alkaline isoform 1039–1049
M. Bordenave, C. Breton, R. Goldberg, J-C. Huet, S. Perez, J-C. Pernollet

Isolation and promoter characterization of barley gene *Itr 1* encoding trypsin inhibitor BTI-CMe: differential activity in wild-type and mutant *lys3a* endosperm 1051–1059
J. Royo, I. Diaz, P. Rodriguez-Palenzuela, P. Carbonero

Identification of an immediate-early salicyclic acid-inducible tobacco gene and characterization of induction by other compounds 1061–1072
D.M. Horvath, N-H. Chua

Short communication

Molecular cloning of a tomato leaf cDNA encoding an aspartic protease, a systemic wound response protein 1073–1077
A. Schaller, C.A. Ryan

Over-expression of a C-terminal region of phytochrome B 1079–1082
K. Sakamoto, A. Nagatani

Generative cells of *Lilium longiflorum* possess translatable mRNA and functional protein synthesis machinery 1083–1086
C.K. Blomstedt, R.B. Knox, M.B. Singh

Volume 31 No. 6 September 1996

Isolation and characterization of cDNA encoding a pea ornithine transcarbamoylase (*argF*) and comparison with other transcarbamoylases 1087–1092
C.L. Williamson, M.R. Lake, R.D. Slocum

Cloning of the cDNA and genomic clones for glutathione synthetase from *Arabidopsis thaliana* and complementation of a *gsh2* mutant in fission yeast 1093–1104
C.-L. Wang, D.J. Oliver

Isolation and characterization of the mitochondrial ATP synthase from *Chlamydomonas reinhardtii*. cDNA sequence and deduced protein sequence of the α subunit 1105–1116
G. Nurani, L.-G. Franzén

Ethylene control of E4 transcription during tomato fruit ripening involves two cooperative *cis* elements 1117–1127
R. Xu, S. Goldman, S. Coupe, J. Deikman

Isolation and expression in transgenic tobacco and rice plants, of the cassava vein mosaic virus (CVMV) promoter 1129–1139
B. Verdaguer, A. de Kochko, R.N. Beachy, C. Fauquet

Characterization of pectinases and pectin methylesterase cDNAs in pods of green beans (*Phaseolus vulgaris* L.) 1141–1151
M.E.M. Ebbelaar, G.A. Tucker, M.M. Laats, C. van Dijk, T. Stolle-Smits, K. Recourt

Regulation of an embryogenic carrot gene *DC 2.15* and identification of its active promoter sites 1153–1161
A. Holk, R. Kaldenhoff, G. Richter

Molecular cloning of cDNAs encoding (1→4)-β-xylan endohydrolases from the aleurone layer of germinated barley (*Hordeum vulgare*) 1163–1172
M. Banik, T.P.J. Garrett, G.B. Fincher

Transcription of *CABII* is regulated by the biological clock in *Chlamydomonas reinhardtii* 1173–1184
S. Jacobshagen, K.L. Kindle, C.H. Johnson

Light-inducible gene *HSP70B* encodes a chloroplast-localized heat shock protein in *Chlamydomonas reinhardtii* 1185–1194
C. Drzymalla, M. Schroda, C.F. Beck

The plant mitochondrial 22kDa (PSST) subunit of respiratory chain complex I is encoded by a nuclear gene with enhanced transcript levels in flowers 1195–1204
V. Heiser, A. Brennicke, L. Grohmann

A peroxiredoxin antioxidant is encoded by a dormancy-related gene, *Per1*, expressed during late development in the aleurone and embryo of barley grains 1205–1216
R.A.P. Stacy, E. Munthe, T. Steinum, B. Sharma, R.B. Aalen

Changes of enzymes and factors involved in DNA synthesis during wheat embryo germination 1217–1225
J.P. Benedetto, R. Ech-Chaoui, J. Plissonneau, P. Laquel, S. Litvak, M. Castroviejo

Short communication

Ethylene receptor expression is regulated during fruit ripening, flower senescence and abscission 1227–1231
S. Payton, R.G. Fray, S. Brown, D. Grierson

Isolation of a full-length cDNA encoding polyphenol oxidase from sugarcane, a C4 grass 1233–1238
C.S. Bucheli, I.B. Dry, S.P. Robinson

Erratum 1239

Sequence Announcement 1241–1242

Instructions to authors 1243–1246

Contents of Volume 31 1247–1256

Author Index 1257–1259